


# AR43

Loosening, Separating, Transporting



**WACKER  
NEUSON**  
*all it takes!*



## Long distance runners in action: AR43

Primarily external vibrators with slow speeds are utilized in sifting technology. The AR43 for example. Its sustained performance ensures that the materials are in constant movement and are sifted continuously and thoroughly.

- Excellent power-to-weight ratio.
- High operating reliability and long service life due to its extremely robust design
- Finely adjustable centrifugal forces via adjustable eccentric weight discs.
- Well-protected and centered cable feed.
- Maintenance-free, no re-greasing necessary.

## AR43 Technical specifications

AR43/3/400\*

Vibrations	3,000 rpm
Frequency	50 Hz
Standard centrifugal force	8.21 kN
Centrifugal force max.	10.02 kN
Rated voltage 3~	400 V
Rated current	0.6 A
Engine performance	0.29 kW
L x W x H	310 x 190 x 164 mm
Weight	12.24 kg
Fastening	90 x 154 mm

\* No power cable included in this product.

Please note: that product availability can vary from country to country. It is possible that information / products may not be available in your country. More detailed information on engine power can be found in the operator's manual; the stated power may vary due to specific operating conditions. Subject to alterations and errors excepted. Applicable also to illustrations.  
Copyright © 2021 Wacker Neuson SE.